

Fitch Fuel Catalyst



QC - kit contains SAE OEM Quick Connect Fittings
 FQC - kit contains Ford specific Push Lock fittings
 TQC - kit contains Toyota specific SAE OEM Quick Connect Fittings

Part Number	Kit Specifications	OEM Quick Connects	Universal Kit - NO quick connect ends	Most Common Use of Application (always refer to application chart)
F3424	F300 Fitch canister, 2 - 5/16" fuel hoses 24" in length w/FQC	x		Ford/Lincoln/Mercury gasoline Cars/Trucks up to 300 HP
F3436	F300 Fitch canister, 2 - 5/16" fuel hoses 36" in length w/FQC	x		Ford/Lincoln/Mercury gasoline Vans up to 300 HP
F3624	F300 Fitch canister, 2 - 5/16" fuel hoses 24" in length w/QC	x		Chrysler, Dodge, Jeep, some Ford manufactured cars/SUVs up to 300 HP
F3624-T	F300 Fitch canister, 2 - 5/16" fuel hoses 24" in length w/TQC	x		Toyota/Lexus manufactured cars/SUVs up to 300 HP
F3636-T	F300 Fitch canister, 2 - 5/16" fuel hoses 36" in length w/TQC			Toyota/Lexus manufactured Vans up to 300 HP
F3636	F300 Fitch canister, 2 - 5/16" fuel hoses 36" in length w/QC	x		Chrysler, Dodge, Jeep, some Ford manufactured Vans up to 300 HP
F36G24	F300 Fitch canister, 2 - 5/16" fuel hoses 24" in length w/ raw ends		x	Offered to vehicles w/o OEM quick connects & out of warranty with 5/16" OEM lines up to 300 HP (Chrysler, Dodge, Jeep, Plymouth, Honda, Toyota, Mazda, Mitsubishi, Audi)
F3824	F300 Fitch canister, 2 - 3/8" fuel hoses 24" in length w/QC	x		Most all GM/Chevrolet manufactured cars/Suvs up to 300 HP (Saturn, Pontiac, Cadillac, Buick, etc.)
F3836	F300 Fitch canister, 2 - 3/8" fuel hoses 36" in length w/QC	x		Most all GM/Chevrolet manufactured Vans up to 300 HP
F38G24	F300 Fitch canister, 2 - 3/8" fuel hoses 24" in length w/ raw ends		x	Offered to vehicles w/o OEM quick connects & out of warranty with 3/8" OEM lines/ up to 300 HP (GM/Chevy, Pontiac, Saturn, Cadillac, Buick, etc.)
F4424B	F400 Fitch canister, 2 - 5/16" fuel hoses 24" in length w/FQC	x		Ford/Lincoln/Mercury gasoline Cars/Trucks over 300 & up to 400 HP
F4436B	F400 Fitch canister, 2 - 5/16" fuel hoses 36" in length w/FQC	x		Ford/Lincoln/Mercury gasoline Vans over 300 & up to 400 HP
F4624B	F400 Fitch canister, 2 - 5/16" fuel hoses 24" in length w/QC	x		Chrysler, Dodge, Jeep, some Ford manufactured cars/SUVs over 300 & up to 400 HP
F4624-TB	F400 Fitch canister, 2 - 5/16" fuel hoses 24" in length w/TQC	x		Toyota/Lexus manufactured cars/SUVs over 300 & up to 400 HP
F4636-TB	F400 Fitch canister, 2 - 5/16" fuel hoses 36" in length w/QC	x		Toyota/Lexus manufactured Vans over 300 & up to 400 HP
F46G24B	F400 Fitch canister, 2 - 5/16" fuel hoses 24" in length w/ raw ends		x	Offered to vehicles w/o OEM quick connects & out of warranty with 5/16" OEM lines/ over 300 & up to 400 HP (Chrysler, Dodge, Jeep, Plymouth, Honda, Toyota, Mazda, Mitsubishi, Audi)
F4824B	F400 Fitch canister, 2 - 3/8" fuel hoses 24" in length w/QC	x		Most all GM/Chevrolet manufactured cars/Suvs over 300 & up to 400 HP (Saturn, Pontiac, Cadillac, Buick, etc.)
F4836B	F400 Fitch canister, 2 - 3/8" fuel hoses 36" in length w/QC	x		Most all GM/Chevrolet manufactured Vans over 300 & up to 400 HP & included Dodge 5.7 hemis
F48G24B	F400 Fitch canister, 2 - 3/8" fuel hoses 24" in length w/ raw ends		x	Offered to vehicles w/o OEM quick connects & out of warranty with 3/8" OEM lines/ over 300 & up to 400 HP (GM/Chevy, Pontiac, Saturn, Cadillac, Buick, etc.)
F5624B	F500 Fitch canister, 2 - 5/16" fuel hoses 24" in length w/QC	x		Chrysler, Dodge, Jeep, some Ford manufactured cars/SUVs over 400 & up to 500 HP
F56G24B	F500 Fitch canister, 2 - 5/16" fuel hoses 24" in length w/ raw ends		x	Offered to vehicles w/o OEM quick connects & out of warranty with 5/16" OEM lines/ over 400 & up to 500 HP (Chrysler, Dodge, Jeep, Plymouth, Honda, Toyota, Mazda, Mitsubishi, Audi)

F5836B	F500 Fitch canister, 2 - 5/16" fuel hoses 36" in length w/QC	x		Most all GM/Chevrolet manufactured Vans over 400 & up to 500 HP & includes hi performance Dodge Hemi 5.7
F58G24B	F500 Fitch canister, 2 - 3/8" fuel hoses 24" in length w/ raw ends		x	Offered to vehicles w/o OEM quick connects & out of warranty with 3/8" OEM lines/ over 400 & up to 500 HP (GM/Chevy, Pontiac, Saturn, Cadillac, Buick, etc.)
F75424B	F750 Fitch canister, 2 - 5/16" fuel hoses 24" in length w/FQC	x		Ford/Lincoln/Mercury gasoline Cars/Trucks over 500 HP
F75836B	F750 Fitch canister, 2 - 3/8" fuel hoses 36" in length w/QC	x		GM/Chevy 6.5 Turbo Diesel Vans (Stock Set Up) & GM/Chevy manufactured gasoline vehicles over 500 HP (1990 & newer)
F751036BP	F750 Fitch canister, 2 - 1/2" fuel hoses 36" in length w/QC	x		Ford 6.4 Powerstroke Trucks/SUVs Stock Set Up (check application chart for specific years)
F75624B	F750 Fitch canister, 2 - 5/16" fuel hoses 24" in length w/QC	x		Chrysler, Dodge, Muscle Cars, some Fords, gasoline engines over 500 HP
F75624BP	F750 Fitch canister, 2 - 5/16" fuel hoses 24" in length w/QC	x		Ford 7.3 Powerstroke Trucks/SUVs Stock Set Up (check application chart for specific years)
F75636BP	F750 Fitch canister, 2 - 5/16" fuel hoses 36" in length w/QC	x		Ford 7.3 Powerstroke VANS Stock Set Up (check application chart for specific years)
F756G24B	F500 Fitch canister, 2 - 5/16" fuel hoses 24" in length w/ raw ends		x	Offered to diesel engines w/o OEM quick connects & out of warranty having 5/16" OEM lines with stock settings & for Chrysler, Plymouth, Dodge, some Ford Gasoline high performance engines producing over 500 HP but also, Out of Warranty & w/o OEM fittings
F75824BP	F750 Fitch canister, 2 - 3/8" fuel hoses 24" in length w/QC	x		Ford 6.0 Powerstroke Truck/SUVs Stock Set Up (check application chart for specific years)
F75836BP	F750 Fitch canister, 2 - 3/8" fuel hoses 36" in length w/QC	x		Ford 6.0 Powerstroke VANS Stock Set Up (check application chart for specific years)
F758186BD	F750 Fitch canister, 2 - 3/8" fuel hoses, 18" female hose & 6" male w/QC	x		Chevy/GMC 6.6 Duramax Trucks Stock Set Up (check application chart for specific years)
F7582028BD	F750 Fitch canister, 2 - 3/8" fuel, 20" female hose & 28" male hose w/QC	x		Chevy/GMC 6.6 Duramax Trucks Stock Set Up (check application chart for specific years)
F75836BD	F750 Fitch canister, 2 - 3/8" fuel hoses 36" in length w/QC	x		Chevy/GMC 6.6 Duramax VANS Stock Set Up (check application chart for specific years)
F75824BC	F750 Fitch canister, 2 - 3/8" fuel hoses 24" in length w/QC	x		Dodge 5.9 Cummins Trucks Stock Set Up (check application chart for specific years)
F7582618BC	F750 Fitch canister, 2 - 3/8" fuel hoses, 26" female hose & 18" male hose w/QC	x		Dodge 5.9 Cummins Trucks Stock Set Up (check application chart for specific years)
F758G24B	F750 Fitch canister, 2 - 3/8" fuel hoses 24" in length w/ raw ends		x	Offered to diesel engines w/o OEM quick connects & out of warranty having 3/8" OEM lines with stock settings & for GM/Chevy Gasoline high performance engines producing over 500 HP but also, Out of Warranty & w/o OEM fittings
F756242BC	F750 Fitch canister, 2 - 5/16" fuel hoses, 24" female hose & 2" male w/QC	x		Dodge 6.7 Cummins Trucks Stock Set Up (check application chart for specific years)
F1006242BC	F1000 Fitch canister, 2 - 5/16" fuel hoses 24" in length w/QC	x		Dodge 6.7 Cummins Trucks modified to over 400 HP (check application chart for specific years)
F100624BP	F1000 Fitch canister, 2 - 5/16" fuel hoses 24" in length w/QC	x		Ford 7.3 Powerstroke Trucks modified to over 400 HP (check application chart for specific years)
F100824BP	F1000 Fitch canister, 2 - 3/8" fuel hoses 24" in length w/QC	x		Ford 6.0 Powerstroke Trucks modified to over 400 HP (check application chart for specific years)
F1001036BP	F1000 Fitch canister, 2 - 1/2" fuel hoses 36" in length w/QC	x		Ford 6.4 Powerstroke Trucks modified to over 400 HP (check application chart for specific years)

F1008186BD	F1000 Fitch canister, 2 - 3/8" fuel hoses, 18" female hose & 6" male hose w/QC	x		Chevy/GMC 6.6 Duramax Trucks modified to over 400 HP (check application chart for specific years)
F10082028BD	F1000 Fitch canister, 2 - 3/8" fuel hoses, 20" female hose & 28" male hose w/QC	x		Chevy/GMC 6.6 Duramax Trucks modified to over 400 HP (check application chart for specific years)
F10082618BC	F1000 Fitch canister, 2 - 3/8" fuel hoses, 26" female hose & 18" male hose w/QC	x		Dodge 5.9 Cummins Trucks modified to over 400 HP (check application chart for specific years)
F100824BC	F1000 Fitch canister, 2 - 3/8" fuel hoses 24" in length w/QC	x		Dodge 5.9 Cummins Trucks modified to over 400 HP (check application chart for specific years)
The below are drop in tank applications - consumer must access the fuel tank to install				
FFB08	8 individual catalyst drop in units - each drop in is 2.25" length x .75" diameter			Pre-1980 classic cars/muscle cars under 30 gallon fuel tank & under 400 HP (use 2 appl. If exceed either spec)
F2T	1 - individual catalyst drop in - 1.5" x .75" diameter housed in rigid plastic mold			Hand Held Outdoor Power Equipment (weed wackers, chainsaw, etc.)
F4T	1- individual catalyst drop in - 2.25" length x .75" diameter housed in rigid plastic mold			Walk behind Outdoor Power Equipment (snow blowers, lawnmowers, small generators) Not to exceed 25 HP & 5 gallon tank (double up if exceed specs.)
F5T	2- individual catalyst drop in - 2.25" length x .75" diameter housed in rigid plastic mold			Recreational vehicles - motorcycles, atvs, snowmobiles, jet skis, (Under 150 HP) over 150 HP combined w/F5T-1 unit
F5T-1	1- individual catalyst drop in - 2.25" length x .75" diameter housed in rigid plastic mold			Recreational vehicles - razors, scooters, small atvs, etc. under 49 CCs
F5TS	2- individual catalyst drop in - 2.25" length x .75" diameter housed in flexible nylon sleeving			Recreational vehicles - motorcycles, atvs, snowmobiles, jet skis, (Under 150 HP) typically used for motorcross & snowcross competitors because of the extreme agitation of their machine
<p>NOTE: "G" Universal kits are offered for vehicles OUT OF WARRANTY & are fairly generic.</p> <p>The installation of these "G" Universal kits require modification of OEM fuel lines unlike the standard OEM Quick Connect kits (don't have a "G" in part #)</p>				